



NEUROSURGERY
Sanjay Ghosh, MD
Scott P. Leary, MD
Alois Zauner, MD
Amanda Gumbert, PA-C
Felix Regala, PA-C
Cassie Petit, PA-C
Deb Frantz, PA-C

OTOLARYNGOLOGY/ HEAD & NECK SURGERY

Perry T. Mansfield, MD Michael J. O'Leary, MD Brian H. Weeks, MD Brianna Harris, MD Seerat Poonia, MD Kimberly Cockerham, MD R. Stuart Weeks, MD

> Annette Kiviat, PA-C Jeannine Shively, PA-C

PLASTIC SURGERY

Jason D. Toranto, MD

NEUROLOGY

Ian M. Purcell, MD, PhD Monali Patel, MD

LOCATIONS

MESA COLEGE 7625 Mesa College Drive Suite 305A San Diego, CA 92111

CORPORATE & MAILING ADDRESS

MISSION VALLEY 3590 Camino Del Rio N Suite 100 San Diego, CA 92108 PH: 619-810-1111 FX: 619-229-4938

Patient Name:		DOB:		
Surgical	Procedure:			
J	Right Eye	Left Eye	Both Eyes	
Surgical	Procedure:			
Ü	Right Eve	Left Eve	Both Eves	

INFORMED CONSENT FOR INCISION/DRAINAGE OF CHALAZION OR ABSCESS OR EXCISION OF EYELID LESION AND/OR RECONSTRUCTION

WHAT CAUSES THE NEED FOR EXCISION OF LESION AND/OR RECONSTRUCTION?

There are a variety of conditions that require lesion removal. These include, but are not limited to, mass/tumors (benign or malignant), foreign bodies, inflammation, and infection. Your eyelid may then require a reconstruction optimize structure and function.

WHAT IS DONE DURING SURGERY?

An incision is made in or near the eyelid and tissue is removed. In case of a chalazion or abscess, a culture may be sent. In the case of an eyelid lesion, the specimen is sent to the lab to look at the cellular pattern to determine if it is benign or a cancer.

WHAT ARE THE ALTERNATIVES?

_ Itching for at least one week

You may decide to live with your condition and its associated symptoms. However, if you have had aninfection, have a known or suspected malignant tumor or are at risk of vision loss, surgery is recommended to maintain your visual function and structure.

Please initial each of the following to document you have read this carefully.WHAT YOU SHOULD EXPECT AFTER SURGERY:

Bruising for at least two weeks	
Swelling for 2-3 months	
Tearing and irritation for at least one month	
Inability to wear contact lenses for at least two we	eks
Numbness of your eyelashes and eyelids for 3-6 m	onths
Visible scar for 3-6 months	





Suite 100 San Diego, CA 92108 PH: 619-810-1111 FX: 619-229-4938

NEUROSURGERY Sanjay Ghosh, MD	WHAT ARE THE RISKS OF SURGERY? Bleeding			
Scott P. Leary, MD	Infection			
Alois Zauner, MD				
Amanda Gumbert, PA-C	Opening of the incision due to broken suture or rubbing			
Felix Regala, PA-C	Asymmetric or unbalanced appearance			
Cassie Petit, PA-C	Scarring requiring injections or revision			
Deb Frantz, PA-C	-c Difficulty closing the eyes			
	Worsening of dry eye problems			
OTOLARYNGOLOGY/ HEAD & NECK SURGERY	WHAT ARE THE MUST SERIOUS RISKS (RARE BUT PUSSIBLE)?			
Perry T. Mansfield, MD	Corneal damage			
Michael J. O'Leary, MD Brian H. Weeks, MD	Double vision			
Brianna Harris, MD				
Seerat Poonia, MD	Loss of vision(blindness)			
Kimberly Cockerham, MD				
R. Stuart Weeks, MD	You may need additional treatment or surgery to treat these complications; the cost			
Emeritus	of theadditional treatment or surgery is NOT included in the fee for this surgery.			
Annette Kiviat, PA-C				
Jeannine Shively, PA-C	, , , , , , , , , , , , , , , , , , , ,			
PLASTIC SURGERY Jason D. Toranto, MD	I have: Received a copy of this consent Had all my questions answered			
NEUROLOGY Ian M. Purcell, MD, PhD Monali Patel, MD	By signing below, I am confirming that Dr. Kimberly Cockerham has answered all my questions and that I understand and accept the risks and the costs associated with this surgery and future treatments.			
LOCATIONS	Date: Patient Signature			
MESA COLEGE 7625 Mesa College Drive Suite 305A San Diego, CA 92111	Date: Witness Signature			
CORPORATE & MAILING ADDRESS	Date: Physician Signature			
MISSION VALLEY 3590 Camino Del Rio N	Kimberly Cockerham, MD, FACS			